

**Part Numbers and Product Order Codes:-**

Part Number	-	-	-	-	-	-	EVC-DP
Description	-	-	-	-	-	-	Conventional Evolution Dual Optical Detector
Computer Reference Number	-	-	-	-	-	-	F02J82205

**Technical Specifications:-**

Sensor Method	-	-	-	-	-	-	Light Scatter
Sensor Element	-	-	-	-	-	-	2 x Light Emitting Diode
Operating Voltage	-	-	-	-	-	-	16V d.c. to 32V d.c.
System Voltage	-	-	-	-	-	-	24V d.c.
Quiescent Current	-	-	-	-	-	-	40µA at 24v
Alarm Current	-	-	-	-	-	-	50mA at 24v
Current for external remote LED indicator	-	-	-	-	-	-	5mA
Operating Temperature	-	-	-	-	-	-	- 10°C to + 55°C
Storage Temperature	-	-	-	-	-	-	- 20°C to + 60°C
Charging Time	-	-	-	-	-	-	1 minute in Clean Air
Relative Humidity	-	-	-	-	-	-	≤ RH95% non-condensing.
I.P. Protection Rating	-	-	-	-	-	-	IP42
Material	-	-	-	-	-	-	ABS/PC alloy
Dimensions	-	-	-	-	-	-	∅104mm x 33mm (Sensor head) ∅104mm x 48mm (Sensor head and UB-4)
Mass	-	-	-	-	-	-	118g (Sensor head) 183g (Sensor head and UB-4 base)
EMC Conformance	-	-	-	-	-	-	BSEN50130-4
CE Conformity	-	-	-	-	-	-	0832-CPD-0542
Standards / Certification	-	-	-	-	-	-	EN54-7: 2000
DoP Number	-	-	-	-	-	-	0542

All wiring must conform to the current edition of IEE Wiring regulations and BS5839 Part 1

All loop Cable Screens shall be connected together, but must be Isolated from Ground. Cable Screens shall be connected to Earth Ground within the Control Panel ONLY.

